Ebbles Miniatures

www.ebblesminiatures.com



MODEL INFORMATION

11 PAGES, 41 PARTS TOTAL

DIMENSIONS: 7.25” TALL x 5.6” WIDE x 5.6” LONG (184mm x 142mm x 142mm)

DIFFICULTY LEVEL: INTERMEDIATE (SOME CARD MODELING EXPERIENCE RECOMMENDED)

RECOMMENDED CARD WEIGHT: 175-225gsm (67-110lb)

COMPATIBLE WITH 28mm SIZED MINIATURES

COLOR SCHEMES

This kit includes the 5 nationality-specific color schemes shown on this page, plus an unmarked version of each that you can personalize with your own markings if desired.



RAF LOW VISIBILITY

RCAF LOW VISIBILITY



USSC WHITE



RAAF LOW VISIBILITY



USSC LOW VISIBILITY



LOWER MODULE. STEP 1



LOWER MODULE. STEP 2



UPPER MODULE. STEP 1



UPPER MODULE. STEP 2



MCB (MANEUVER CONTROL AND BRAKING) UNITS

x4



RAMP DOORS, STEP 1

x4



RAMP DOORS. ASSEMBLY REFERENCE



The protruding tab helps you open the ramp doors after assembly.

STRUCTURAL FRAME. STEP 1



Apply glue only to the underside of the triangular tabs at the top of the vertical frame struts.

STRUCTURAL FRAME. STEP 2



Apply glue only to the triangular tabs at the corners. The ramps slide into the slots formed here.

STRUCTURAL FRAME. STEP 3



STRUCTURAL FRAME, STEP 4



RAMP DOOR INSTALLATION



Apply glue only to the bottom of the ramp doors. Tuck the top tabs into the slots in the upper module.

MCB UNIT INSTALLATION



STABILIZER FIN INSTALLATION

