

Infernape


By Brandon


Build by LulS

PaperPokés
www.pokemonpapercraft.com

Start gluing piece 4 by the front tabs of piece 1.






















Join pieces 7, 8 and 9
and only after that glue
them on the built area.






Right ear










Left ear


Join the front part of the ears
and close using that part.

Join both of the
arms on piece 43
before gluing it
on piece 22.











Start attaching piece 22 by the part with the *


If you're building the lineless version in order to get a better result, fold all the lines of piece 69 Use the pdo as reference.



Attach this piece AFTER the tail is glued.

Cut a hole on piece 69, where the tail will pass. Place this piece where it will stay, but DON'T glue now, this is just so you can see where you'll cut the hole. Cut a small hole and go shaping it untill the tail can stand comfortably inside, go testing after each time you shape, this way you won't cut a bigger hole than it has to be.







I suggest folding the green lines to get a smoother result.




Piece 68 is really important because it joins both parts of the body together. First attach the torso, matching the colored tabs and starting by them and making your way, also the texture MUST be kept down. After that, attach the legs, with the tail already attached. Keep one or two tabs unglued and add weight untill it stands, it may take some weight based on the height of the paper you're using. After it stands, finnish gluing and attach piece 69.

Superglue is suggested to join the torso and the legs on piece 68.









Ears and flames should be attached as soon as the head is built, in order to get presure from inside.

If you plan on using superglue to attach the details on the shoulders and knees, I suggest gluing a piece of paper on the back of those pieces before attaching them to the body to avoid markings that the superglue leave.

Close pieces 32 and 43 on the *



Only attach the shoulder protectors (46 and 47) and the hand details (32 and 42) after the torso is built. Same for the knee protectors (61 and 62) after the legs are built.



Join pieces 48 with 49 and 54 with 55 and after that attach them to the bottom of the feet. The pieces 51 and 57 are easier to attach if you start by the back and work your way to the front of the feet.